Safety Data Sheet

Issue Date: 16-Dec-2015 Revision Date: 21-Dec-2015 Version 1

1. IDENTIFICATION

Product Identifier

Product Name Erase

Other means of identification

SDS # AQS-035

Recommended use of the chemical and restrictions on use

Recommended Use Not determined.

Details of the supplier of the safety data sheet

Supplier Address Aqua Systems, Inc. P.O. Box. 397

Arroyo Grande, CA 93420

Ph: 805-489-9250

Emergency Telephone Number

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Blue liquid Physical State Liquid

Classification

Serious eye damage/eye irritation Category 1

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

Signal Word Danger

Hazard Statements

Causes serious eye damage



Precautionary Statements - Prevention

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

Other Hazards

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Please also refer to subsequent sections of this SDS for additional information regarding the components of this product.

Chemical Name	CAS No	Weight-%
Isopropyl Alcohol	67-63-0	5-10
Alkylbenzenesulfonic Acid	68584-22-5	5-10
Nonylphenol Ethoxylate	127087-87-0	5-10

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.

Skin Contact Remove contaminated clothing. Wash off immediately with plenty of water. If irritation

occurs or feeling unwell, obtain medical advice.

Inhalation Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison

center if individual's condition declines or if symptoms persist.

Ingestion Do not induce vomiting. Rinse mouth. Drink 1 or 2 glasses of water. Never give anything by

mouth to an unconscious person. Immediately call a poison center or doctor/physician.

Most important symptoms and effects

Symptoms Causes serious eye damage. May be harmful if swallowed. Extended exposure will burn

and destroy surrounding tissue. Irritates the digestive tract.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protection recommended in Section 8.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Soak up and contain spill with an

absorbent material.

Methods for Clean-Up

Sweep up absorbed material and shovel into suitable containers for disposal. For waste

disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Wear protective gloves/protective clothing and eye/face protection. Handle in accordance

with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep out of

the reach of children. Do not apply pressure to empty containers.

Incompatible Materials Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	

Appropriate engineering controls

Engineering ControlsApply technical measures to comply with the occupational exposure limits. Maintain eye

wash fountain and quick-drench facilities in work area. Use local mechanical ventilation capable of maintaining emissions below or at the applicable occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles); Refer to 29 CFR 1910.133 for eye and

face protection regulations.

Skin and Body Protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact; Refer to 29 CFR 1910.138 for appropriate skin and

body protection.

Respiratory Protection If TLV is exceeded, use a NIOSH/MSHA approved respirator for organic vapors; Refer to

29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Revision Date: 21-Dec-2015 AQS-035 - Erase

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid **Appearance** Blue liquid

Odor Not determined **Odor Threshold** Color Blue Not determined

Property Values Remarks • Method

7.0 Hq

Melting Point/Freezing Point N/A

Boiling Point/Boiling Range Not determined Flash Point Not determined

Evaporation Rate (Water = 1)

Flammability (Solid, Gas) Liquid-Not applicable **Upper Flammability Limits** Not determined

Lower Flammability Limit Not determined

Vapor Pressure (Air=1)Vapor Density 71 (Air=1)

Specific Gravity 1.04 Water Solubility Completely soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Strong oxidizing agents.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes serious eye damage.

Skin Contact May cause skin irritation upon prolonged contact. Avoid contact with skin and clothing.

Inhalation Do not inhale. May cause irritation to respiratory tract.

Ingestion May be harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Potassium Chloride 7447-40-7	= 2600 mg/kg (Rat)	-	<u>-</u>
Isopropyl Alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m ³ (Rat) 4 h
Alkylbenzenesulfonic Acid 68584-22-5	= 530 mg/kg (Rat)	= 530 mg/kg (Rat)	<u>-</u>
Nonylphenol Ethoxylate 127087-87-0	= 1310 mg/kg (Rat)	-	-
Alkyl(C10-16) Benzene 68648-87-3	> 5000 mg/kg (Rat)	> 10200 mg/kg (Rabbit)	-
Polyethylene glycol 25322-68-3	= 28 g/kg (Rat)	> 20 mL/kg (Rabbit) > 20 g/kg (Rabbit)	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

CarcinogenicityThe table below indicates whether each agency has listed any ingredient as a carcinogen.

However, the product as a whole has not been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol		Group 3		X
67-63-0		·		

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Potassium Chloride 7447-40-7	2500: 72 h Desmodesmus subspicatus mg/L EC50	1060: 96 h Lepomis macrochirus mg/L LC50 static 750 - 1020: 96 h Pimephales promelas mg/L LC50 static		825: 48 h Daphnia magna mg/L EC50 83: 48 h Daphnia magna mg/L EC50 Static
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 1400000: 96 h Lepomis macrochirus µg/L LC50 11130: 96 h Pimephales promelas mg/L LC50 static		13299: 48 h Daphnia magna mg/L EC50
Alkylbenzenesulfonic Acid 68584-22-5		3: 96 h Oncorhynchus mykiss mg/L LC50 static		2.9: 48 h Daphnia magna mg/L EC50
Alkyl(C10-16) Benzene 68648-87-3	1000: 96 h Pseudokirchneriella subcapitata mg/L EC50	1000: 96 h Oncorhynchus mykiss mg/L LC50		0.009: 48 h Daphnia magna mg/L EC50
Polyethylene glycol 25322-68-3		5000: 24 h Carassius auratus mg/L LC50		

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Isopropyl Alcohol 67-63-0	0.05
Alkylbenzenesulfonic Acid 68584-22-5	2

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

<u>California Hazardous Waste Status</u> This product contains one or more substances that are listed with the State of California as a hazardous waste

Chemical Name	California Hazardous Waste Status
Isopropyl Alcohol	Toxic
67-63-0	Ignitable

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG Not regulated

Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Isopropyl Alcohol	Present	Χ		Present		Present	Χ	Present	Χ	Х
Alkylbenzenesulfonic Acid	Present	Χ		Present		Present	Χ	Present	Х	Х
Nonylphenol Ethoxylate	Present	Х				Present	Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl Alcohol - 67-63-0	67-63-0	5-10	1.0

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl Alcohol	X	X	X
67-63-0			

16. OTHER INFORMATION

NFPAHealth HazardsFlammabilityInstabilitySpecial Hazards101Not determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal Protection101Not determined

Issue Date:16-Dec-2015Revision Date:21-Dec-2015Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet